MaxiForce Light Removable Bollards

March 2020

MaxiForce Bollards 7560 Main Street Sykesville, MD 21784

410-552-9888 Phone 410-552-9939 Fax

Email sales@maxiforcebollards.com





FEATURES

- Superior functionality, flexibility, and design
- Much lighter than typical removable bollards while providing the same visual deterrence
- On match the siteline of surrounding fixed bollards
- Unlocks and removes quickly and easily
- Available in both padlocked and fire hydrant wrench operated versions
- Bollard body can be removed leaving a flush surface that won't catch on equipment such as street sweepers or snow plows
- Multiple head style options
- Available in round or rectangular body styles
- Available in a wide selection of powder coat colors and finishes



MaxiForce Light Removable Bollards are unlike anything on the bollard marketplace. Superior engineering delivers a bollard that offers security, while allowing personnel to move the unit easily at the same time. All bollards from this product line detach completely from their bases to open up the passage or roadway. Our Light Removable Bollards are available as padlock operated or with the unique wrench operation feature that provides added security and ingress flexibility for emergency vehicles.

EASY OPERATION



Patented Hydrant-Wrench Operated Bollard

Ideal for locations requiring traffic control while allowing designated vehicles to quickly pass with the use of a fire hydrant wrench. The standard hydrant nut is a 5-sided AWWA nut matching fire hydrant wrenches carried by most emergency first responders. (Other nut styles are available.)



Standard Padlock Operated Bollard

Ideal for designated locations where traffic control is required and only authorized vehicles and personnel with the appropriate key may unlock the bollard and pass through.



Removable Base

MaxiForce Light Removable Bollards feature a removable base to fit installation requirements. The Removable Base is designed for our light removable bollard units only and will not work with other models. This base has an 8" x 8" top plate that matches the length of a standard brick and many other commonly used pavers.





Choice of Head Styles

The MaxiForce Light Removable line of bollards offers five head style options: two head styles for the round body bollards and three head styles for the rectangular body bollards, as shown. All bollard heads are easily removable and interchangeable.

Easily Removable Body

While offering light security, the MaxiForce Light Removable Bollard also allows authorized personnel to move the unit easily when needed. The bollards only need to be lifted 8" to remove them from their bases completely. Once the body is removed, it leaves a flush surface that won't catch on equipment such as street sweepers or snow plows.



Wide Variety

MaxiForce Light Removable Bollards offer numerous customization options – from the shape and size of the body, to the color and final finish of the bollard.

TYPICAL APPLICATIONS

- · Areas needina limited access
- Temporary road & alleyway closures
- Apartments / re
- School grounds
- · Playarounds & narks
- · Shopping centers

- · Public facilities
- · Parking areas
- · Ball Parks & Stadium
- · Biking trails
- · Pedestrian walkway
- · City downtown areas
- Government facilities

SIZES

Standard Height: 28"-32" above finished surface (varies by choice of head style)

MaxiForce Light Removable Bollards are available in custom sizes according to your needs. For more information about custom orders, please contact us at:

sales@maxiforcebollards.com

STANDARD








For a full listing of our standard colors, and a look at other color options, please check our current catalog or visit our website:







KEY BENEFITS

- Can be used in multiple settings
- Easy operation
- Lighter lifting than standard bollards of the same size
- Easy maintenance

- Great durability
- Appealing design
- Great choice of sizes, colors & finishes

Warranty Conditions

MaxiForce warrants that the products sold with this catalog will conform to the applicable specifications and will be free from defects in material and workmanship for one (1) year after shipment FOB under normal and proper use and service. For full warranty conditions and warranty limitations, please visit www.maxiforcebollards.com/resources

Technical Drawings & Specifications

All of our technical documentation and drawings are available for download on **www.maxiforcebollards.com/resources** Visit our online resource library by following the link above or simply scan this QR code to access our documentation.



Ordering

To place an order with MaxiForce, please use our online order form at www.maxiforcebollards.com or contact us at sales@maxiforcebollards.com or +1 (410) 552 9888

Additional Information

Should you have any questions or need advice, don't hesitate to contact us at: sales@maxiforcebollards.com or +1 (410) 552 9888