

MaxiForce Standard Removable Bollards

November 2024

MaxiForce Bollards
7560 Main Street
Sykesville, MD 21784

Phone 410-552-9888
Fax 410-552-9939
Email sales@maxiforcebollards.com

MAXIFORCEBOLLARDS.COM

PRODUCT
BROCHURE



MaxiForce

STANDARD REMOVABLE BOLLARDS



MaxiForce Standard Removable bollards offer a high level of protection, flexibility, and superior aesthetics.

Browse our full Standard Removable Product Line:
maxiforcebollards.com/product-category/removables



FEATURES

- ✓ An optimum combination of security, flexibility, and design
- ✓ Installation details available to meet most US-based impact ratings
- ✓ Unlocks and removes quickly - Engineered to only require an 8" lift to remove the bollard from the ground (standard models)
- ✓ Available in non-locking, padlocking, or key operated models
- ✓ Available in diameters from 3" through 10"
- ✓ Two base types for versatile installation (plate covered or hinge top)
- ✓ Multiple head style options
- ✓ Wide variety of sizes to fit customization needs
- ✓ Available in a wide selection of powder coat colors and finishes



MaxiForce Standard Removable Bollards are your perfect choice when it comes to combining the highest levels of protection with great flexibility and exceptional design. Engineered to minimize steel usage, our standard removable units are as light as possible and require only 8" of lifting. All bollards from this product line detach completely from their bases to open up the passage or roadway leaving a flush surface. Our Standard Removable Bollards can be offered as non-locking units, padlockable units, or in a convenient keylock version.

EASY OPERATION



Standard Padlock Operated Bollard

Ideal for designated locations where traffic control is required and only authorized vehicles and personnel with the appropriate key may unlock the bollard and pass through.

Standard Keylock Operated Bollard

Ideal for locations that require traffic control while allowing designated vehicles to pass quickly with the use of a key. Since the locking mechanism is built into the bollard body, there is no risk of losing a padlock. The lock is located at a convenient height to operate, and removes the challenges associated with padlocks being covered in snow or ice. Multiple lock type options available upon request.



Two Base Types

MaxiForce Removable Bollards have two base options to fit installation requirements. Removable bollard operation is not affected by the choice of the base type.



Multiple Head Styles

The MaxiForce Standard Removable line of bollards offers several head style options: with bolt on and welded on options available. All bolt on heads are easily removable and interchangeable. **Note: Head style options vary, based on bollard diameter and operation.*

Multiple Body Diameters Offered

Standard Removables come in several sizes: From 3" to 10" - to fit your customized needs.



Wide Variety

MaxiForce Removable Bollards offer numerous customization options - from the size of the body to the color and final finish of the bollard.

TYPICAL APPLICATIONS

- Areas needing limited access
- Temporary road & alleyway closures
- Utility protection
- Office buildings
- Educational facilities
- Playgrounds & parks
- Shopping centers
- Military & Government facilities
- Parking areas
- Residential subdivisions
- Ball parks & stadiums
- Apartment complexes
- Biking trails
- Pedestrian walkways
- City downtown areas
- Playgrounds


SIZES

Removable Bollard Body Standard Height: 36" above finished surface (head styles add additional height)

MaxiForce Removable Bollards are available in custom sizes according to your needs. For more information about custom orders, please contact us at:

sales@maxiforcebollards.com


STANDARD COLORS



For a full listing of our standard colors, and a look at other color options, please check our current catalog or visit our website:

MAXIFORCEBOLLARDS.COM





KEY BENEFITS

- ✔ Easy operation
- ✔ Extra security
- ✔ Easy maintenance
- ✔ Great durability
- ✔ Appealing design
- ✔ Great choice of sizes, colors & finishes

Warranty Conditions

MaxiForce warrants that the products sold with this catalog will conform to the applicable specifications and will be free from defects in material and workmanship **for one (1) year after shipment FOB** under normal and proper use and service. For full warranty conditions and warranty limitations, please visit www.maxiforcebollards.com/resources

Technical Drawings & Specifications

All of our technical documentation and drawings are available for download on www.maxiforcebollards.com/resources Visit our online resource library by following the link above or simply scan this QR code to access our documentation.



Ordering

To place an order with MaxiForce, please use our online order form at www.maxiforcebollards.com or contact us at sales@maxiforcebollards.com or **+1 (410) 552 9888**

Additional Information

Should you have any questions or need advice, don't hesitate to contact us at: sales@maxiforcebollards.com or **+1 (410) 552 9888**